

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6489	(detect\$3 or identif\$7) near6 (power near2 (shutdown or ((shut\$4 or switch\$3 or turn\$3 or cut\$4) adj (down or off)) or diconnect\$3 or remov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:33
L2	13	1 same ((switch\$3 or enter\$3 or go\$3 or chang\$3) near6 (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:16
L3	10	1 with ((switch\$3 or enter\$3 or go\$3 or chang\$3) near6 (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:21
L4	0	2 same response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:55
L5	0	1 same (response near6 (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:25
L6	13	1 same ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:13
L7	10	1 with ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:40
L8	7483	((detect\$3 or determin\$5 or identif\$7) near6 (power near3 (recover\$3 or on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:48
L9	26	8 same ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:59

L10	8	8 with ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:49
L11	2	9 same ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:50
L12	1	10 with ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:48
L13	10	9 same ((time near2 (period\$1 or interval\$1)) or duration or time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:50
L14	1	10 with ((time near2 (period\$1 or interval\$1)) or duration or time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:50
L15	1	9 same response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:55
L16	0	10 with response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:56
L17	448	8 same ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:59
L18	177	8 with ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:59

L19	2	17 same ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:49
L20	1	18 with ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:00
L21	24	17 same (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:51
L22	1	18 with (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:01
L25	0	6 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:21
L26	0	7 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:14
L27	0	6 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:15
L28	0	7 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:14
L29	1	6 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:15
L30	1	7 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:15

L31	41	1 same (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:34
L32	21	1 with (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:16
L33	1	31 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:53
L34	1	32 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:21
L35	1	31 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:22
L36	1	32 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:22
L37	1	31 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:23
L38	1	32 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:24
L39	1	21 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:24
L40	0	22 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:25

L41	2	21 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:25
L42	0	22 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:25
L43	4	21 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:26
L44	0	22 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:26
L45	14	(Beckert and Richard and Dennis). in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:32
L46	1149	(ENDO and SATOSHI).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:32
L47	781	1.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:34
L48	809	8.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:34
L49	81	47 and (((low\$2 or reduc\$3) near3 (power adj (mode or state))) or LPM or ((low\$2 or reduc\$3 or slow\$2) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:35
L50	297	48 and (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:35

L51	1	49 and 46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:35
L52	1	50 and 46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:35
L53	173	8 same periodically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:48
L54	63	8 with periodically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:48
L55	1	53 same ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:49
L56	1	54 with ((switch\$3 or enter\$3 or go\$3 or chang\$3 or transition\$3) near6 (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:49
L57	27	53 same ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:51
L58	7	54 with ((set or preset or predetermined or preprogrammed or specific or fixed or established or given) near3 ((time near2 (period\$1 or interval\$1)) or duration or time\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:52
L59	1	57 same (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:51

L60	1	58 with (((high\$2 or normal) near3 (power adj (mode or state))) or ((high\$2 or normal) near2 operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:51
L61	0	53 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:53
L62	1	53 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:53
L63	0	53 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:54
L64	0	54 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:54
L65	0	54 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:54
L66	0	54 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:54

L67	55	(US-20020143410-\$).did. or (US-4387305-\$ or US-4432030-\$ or US-4644494-\$ or US-4771356-\$ or US-4999575-\$ or US-5142684-\$ or US-5153535-\$ or US-5315161-\$ or US-5371693-\$ or US-5414861-\$ or US-5475847-\$ or US-5475848-\$ or US-5485363-\$ or US-5497479-\$ or US-5504908-\$ or US-5504910-\$ or US-5511205-\$ or US-5535035-\$ or US-5548166-\$ or US-5598567-\$ or US-5623677-\$ or US-5652536-\$ or US-5664201-\$ or US-5757302-\$ or US-5765001-\$ or US-5774701-\$). did. or (US-5828207-\$ or US-5831347-\$ or US-5862394-\$ or US-5909585-\$ or US-5923099-\$ or US-5925131-\$ or US-5978922-\$ or US-5991889-\$ or US-6026495-\$ or US-6029061-\$ or US-6124692-\$ or US-6178523-\$ or US-6266776-\$ or US-6369643-\$ or US-6404987-\$ or US-6601181-\$ or US-6625281-\$ or US-6653871-\$ or US-6763478-\$ or US-4581552-\$ or US-6658576-\$ or US-6097659-\$ or US-5163153-\$ or US-6038515-\$ or US-6862651-\$). did. or (JP-06067749-\$ or JP-11015572-\$).did. or (JP-10175484-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/12/05 10:56
L68	21	67 and periodically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:57